

EXTEN TOOL CHINA (WWW.EXTENTOOL.COM)

E-CATALOGUE

Business Scope: 1.Kinds of extension pole,they are widely used at :Painting Roller Handle / Mop & Broom Handle / Floor & Window clean handle etc.



2.Painting tools & Cleaning tools.

Service contact information: Company name:Hangzhou Orientjohn Industry Co., Ltd./ Address:97# Xiaoshao Easter Rd., Xiaoshan District, Hangzhou, Zhejiang, China 311201

Contact person: Mr David Zheng Mobile:+0086 13750811310 E-mail:david@extentool.com Tel.86-571-5612 6572 Fax 86-571-5612 6929 Skype: mhdavidzheng

Steel Telescopic Pole Series (EPS) 1.Material:High Strength Steel Tube/ 2.Tube Color:Black,Green,Red/ 3.Plastic Color:Black,Yellow,Blue/ 4.Length:4",5",6"Feet or customer Prefer/ 5.Function:Painting Roller Handle,Mop & Broom Handle,Floor & Window clean handle

Serial No	Item No.	Item Name	Item Picture					Description	Product's Technical Parameters				
			Complete product photo	Grip	Body	Joint part	Head		N.W. OF EACH	Single Pole Length	Fully extended length	Pole free telescopic length range	The diameter & wall thickness of each section telescopic pole
1	EPS-101P01	1.2m (4") PP american thread tip,Simple & Light style fixed length steel pole				no		1.PP american thread tip 2.Powder-coated steel construction tube/Tube diameter*Thickness:Φ19*0.3mm 3.Plastic grip 4.Light weight type Remark: Color & Length can be customized according to the guest requirement	240	1.2m	1.2m	no extension function, fixed length	Φ19mm~0.3mm
2	EPS-101P02	1.5m (5") PP american thread tip,Simple & Light style fixed length steel pole							300	1.5m	1.5m		Φ19mm~0.3mm
3	EPS-101P03	1.8m (6") PP american thread tip,Simple & Light style fixed length steel pole							360	1.8m	1.8m		Φ19mm~0.3mm
4	EPS-102Z01	1.2m (4") aluminium alloy american thread tip,long arm style fixed length steel pole				no		1.Cast aluminium alloy american thread tip 2.Powder-coated steel construction tube/Tube diameter*Thickness:Φ22*0.4mm 3.Plastic grip 4.Light weight and strong type 5, Pole Section: 1-Section Remark: Color & Length can be customized according to the guest requirement	290	1.2m	1.2m	no extension function, fixed length	Φ22mm~0.4mm
5	EPS-102Z02	1.5m (5") aluminium alloy american thread tip,long arm style fixed length steel pole							350	1.5m	1.5m		Φ22mm~0.4mm
6	EPS-102Z03	1.8m (6") aluminium alloy american thread tip,long arm style fixed length steel pole							410	1.8m	1.8m		Φ22mm~0.4mm
7	EPS-103P01	1.2m (4") PP Germany style hexagon thread tip fixed length steel pole				no		1, Tip mtr.: heavy duty structure,PP hexagon,germany thread ,rivet Secure 2, Powder-coated high strength steel construction tube/Tube diameter*thickness :Φ 24mmX0.4mm 3, PP handle,foam grip,rotary roof 4, Max pressure: 20kgf/m 5, Pole section: 1-Section Remark: Color & Length can be customized according to the guest requirement	320	1.2m	1.2m	no extension function, fixed length	Φ24mm~0.4mm
8	EPS-103P02	1.5m (5") PP Germany style hexagon thread tip fixed length steel pole							350	1.5m	1.5m		Φ24mm~0.4mm
9	EPS-103P03	1.8m (6") PP Germany style hexagon thread tip fixed length steel pole							430	1.8m	1.8m		Φ24mm~0.4mm

10	EPS-104N01	1.2m (4") Nylon thread tip portable style fixed length steel pole						1.Nylon thread tip 2.Powder-coated steel construction tubeTube diameter*thickness : Φ22*0.3mm	200	1.2m	1.2m	no extension function, fixed length	Φ22mm~0.3mm
11	EPS-104N02	1.5m (5") Nylon thread tip portable style fixed length steel pole			no			3.PVC cap 4.Light weight type 5. Pole section: 1-Section Remark: Color & Length can be customized according to the guest requirement	240	1.5m	1.5m		Φ22mm~0.3mm
12	EPS-104N03	1.8m (6") Nylon thread tip portable style fixed length steel pole							290	1.8m	1.8m		Φ22mm~0.3mm
13	EPS-105-P01	1~2m(3~6") Plastic american threads tip Inner twist locking 2 section long arm steel extension pole						1,Plastic american threads tip; 2, Powder-coated high strength steel construction tube/Tube size: Outer tube diameter*Thickness: 24mmX0.4mm; Inner tube diameter*Thickness: 21mmX0.4mm;	460	1m	2m	1~2m	Φ24-Φ 21mm~0.4mm
14	EPS-105-P02	1.2~2.4m(4~8") Plastic american threads tip Inner twist locking 2 section long arm steel extension pole						3,Plastic grip 4, Max Pressure: Inner tube 15kgf/m ; Outer tube 20kgf/m 5, Lock Style: Inner twist locking 6, Pole Section: 2-Section Remark: Color & Length can be customized according to the guest requirement	520	1.2m	2.4m	1.2~2.4m	Φ24-Φ 21mm~0.4mm
15	EPS-105-P03	1.8~3.6m(6~12") Plastic american threads tip Inner twist locking 2 section long arm steel extension pole							610	1.8m	3.6m	1.5~3m	Φ24-Φ 21mm~0.4mm
16	EPS-106A01	0.9~1.8m(3~6")PP america threads & taper tip, Inner twist locking 2 section steel extension pole						1.PP america threads & taper tip; 2.Powder-coated steel tube/Tube Size: Outer tube diameter*thickness: 25mmX0.3mm Inner tube diameter*thickness: 22mmX0.3mm;	600	0.9m	1.8m	0.9~1.8m	Φ25-Φ 22mm~0.3mm
17	EPS-106A02	1.2~2.4m(4~8")PP america threads & taper tip, Inner twist locking 2 section steel extension pole						3.Plastic grip; 4.Lock Style: Inner twist locking 5, Pole Section: 2-Section Remark: Color & Length can be customized according to the guest requirement	800	1.2m	2.4m	1.2~2.4m	Φ25-Φ 22mm~0.3mm
18	EPS-106A03	1.8~3.6m(6~12")PP america threads & taper tip, Inner twist locking 2 section steel extension pole							1200	1.8m	3.6m	1.8~3.6m	Φ25-Φ 22mm~0.3mm
19	EPS-107B01	0.9~1.8m(3~6")PP america threads & taper tip,outer twist locking 2 section steel extension pole						1.PP america threads/Tapper tip; 2.Powder-coated steel tube; Tube Size: Outer tube diameter*thickness: 25mmX0.3mm; Inner tube diameter*thickness: 22mmX0.3mm;	640	0.9m	1.8m	0.9~1.8m	Φ25-Φ 22mm~0.3mm
20	EPS-107B02	1.2~2.4m(4~8")PP america threads & taper tip,outer twist locking 2 section steel extension pole						3.plastic grip; 4.Lock Style: Outer twist locking 5, Pole Section: 2-Section Remark: Color & Length can be customized according to the guest requirement	850	1.2m	2.4m	1.2~2.4m	Φ25-Φ 22mm~0.3mm
21	EPS-107B03	1.8~3.6m(6~12")PP america threads & taper tip,outer twist locking 2 section steel extension pole							1270	1.8m	3.6m	1.8~3.6m	Φ25-Φ 22mm~0.3mm
22	EPS-108N01	0.9~1.8m(3~6")Nylon america threads tip,flip locking 2 section steel extension pole						1.Nylon america threads tip; 2.Powder-coated steel construction Tube/Tube size:Outer tube	360	0.9m	1.8m	0.9~1.8m	Φ25-Φ 22mm~0.3mm

23	EPS-108N02	1.2~2.4m(4~8")Nylon america threads tip,flip locking 2 section steel extension pole					diameter*thickness: 25mmX0.3mm; Inner tube diameter*thickness: 22mmX0.3mm; 3.PVC cap; 4.Lock Style: Flip locking 5, Pole Section: 2-Section Remark: Color & Length can be customized according to the guest requirement	460	1.2m	2.4m	1.2~2.4m	Φ25-Φ 22mm~0.3mm
24	EPS-108N03	1.8~3.6m(6~12")Nylon america threads tip,flip locking 2 section steel extension pole						660	1.8m	3.6m	1.8~3.6m	Φ25-Φ 22mm~0.3mm
25	EPS-109-01	1.2m (4') Nylon america style hexagon thread tip, fixed length steel pole					1.Nylon america style hexagon thread tip 2.Powder-coated steel construction Tube/Tube size:Outer tube diameter*thickness: 25mmX0.4mm; 3.Plastic Grip; 5, Pole Section: 1-Section Remark: Color & Length can be customized according to the guest requirement	310g	1.2m	1.2m		Φ25mm~0.4mm
26	EPS-109-02	1.5m (5') Nylon america style hexagon thread tip, fixed length steel pole			no			340g	1.5m	1.5m	no extension function, fixed length	Φ25mm~0.4mm
27	EPS-109-03	1.8m (6') Nylon america style hexagon thread tip, fixed length steel pole						430g	1.8m	1.8m		Φ25mm~0.4mm
28	EPS-110-01	1.2m (4') Zinc alloy america thread tip,Printed wood grain surface, fixed length steel pole					1.Zinc alloy america thread tip; 2.Powder-coated steel construction Tube/Tube size:Outer tube diameter*thickness: 25mmX0.4mm; 3.Plastic Grip; 5, Pole Section: 1-Section Remark: Color & Length can be customized according to the guest requirement	350g	1.2m	1.2m		Φ25.2mm~0.4mm
29	EPS-110-02	1.5m (5') Zinc alloy america thread tip,Printed wood grain surface, fixed length steel pole			no			430g	1.5m	1.5m	no extension function, fixed length	Φ25.2mm~0.4mm
30	EPS-110-03	1.8m (6') Zinc alloy america thread tip,Printed wood grain surface, fixed length steel pole						520g	1.8m	1.8m		Φ25.2mm~0.4mm
31	EPS-111-01	0.9~1.8m(3~6')Plastic Tapper tip,Inner twist locking high strength 2 section extension steel pole					1,Plastic Tapper tip; 2, Powder-coated high strength steel construction tube/Tube size: Outer tube diameter*Thickness: 25mmX0.4mm; Inner tube diameter*Thickness: 22mmX0.4mm; 3,Plastic grip 4, Max Pressure: Inner tube 15kgf/m ; Outer tube 20kgf/m 5, Lock Style: Inner twist locking 6, Pole Section: 2-Section Remark: Color & Length can be customized according to the guest requirement	260g	0.9m	1.8m	0.9~1.8m (3~6')	Φ25~0.4mm; Φ22~0.4mm
32	EPS-111-02	1.2~2.4m(4~8')Plastic Tapper tip,Inner twist locking high strength 2 section extension steel pole						460g	1.2m	2.4m	1.2~2.4m (4~8')	Φ25~0.4mm; Φ22~0.4mm
33	EPS-111-03	1.8~3.6m(6-12')Plastic Tapper tip,Inner twist locking high strength 2 section extension steel pole						660g	1.8m	3.6m	1.8~3.6m (6-12')	Φ25~0.4mm; Φ22~0.4mm
34	EPS-112-01	0.9~1.8m(3~6')Plastic American Threads tip, Inner twist locking,high strength fine iron pipe,2 section extension pole					1,Plastic American Threads tip; 2, Powder-coated high strength steel construction tube/Tube size: Outer tube diameter*Thickness: 22mmX0.4mm; Inner tube diameter*Thickness:19mmX0.4mm; 3,Plastic grip 4, Max Pressure: Inner tube 15kgf/m ; Outer tube 20kgf/m 5, Lock Style: Inner twist locking 6, Pole Section: 2-Section Remark: Color & Length can be customized according to the guest requirement	380g	0.9m	1.8m	0.9~1.8m (3~6')	Φ22~0.4mm; Φ19~0.4mm
35	EPS-112-02	1.2~2.4m(4~8')Plastic American Threads tip, Inner twist locking,high strength fine iron pipe,2 section extension pole						500g	1.2m	2.4m	1.2~2.4m (4~8')	Φ22~0.4mm; Φ19~0.4mm
36	EPS-112-03	1.8~3.6m(6-12')Plastic American Threads tip, Inner twist locking,high strength fine iron pipe,2 section extension pole						750g	1.8m	3.6m	1.8~3.6m (6-12')	Φ22~0.4mm; Φ19~0.4mm